



PO Box 651
Harrison Hot Springs, BC
V0M 1K0

Fax: 604-796-3341
Reservations: 604-671-3474
<https://guidebc.com/>



Deja Vu

Hook: 14- 10 nymph

Thread: 8/0 Black

Tail: White Z-lon

Body: Tan antron or rabbit dubbing

Wingcase: Pheasant tail

Legs: 1 olive brown biot out each side

Head: Peacock herl (Optional)

Tying Instructions:

- Tie in a clump of Z-lon at bend of hook and trim to about 1/3 length of the body.
- Tie in pheasant tail fibers with tips extending back over tail.
- Spin tan dubbing on to thread and wrap forward to just before eye of hook.
- Pull pheasant tail forward over tan dubbing and secure with thread and trim.
- Tie in a brown goose biot out each side for legs. Legs should extend approximately the length of the body.
- Trim, whip finish, and head cement.





PO Box 651
Harrison Hot Springs, BC
V0M 1K0

Fax: 604-796-3341
Reservations: 604-671-3474
<https://guidebc.com/>

Peacock Boatman



Hook: 14 to 10 Nymph

Thread: 8/0 Black

Body: Peacock Herl

Wingcase: Mottled turkey or pheasant tail

Legs: 1 olive goose biot out each side

Tying Instructions:

- Tie in pheasant tail or mottled turkey at bend of hook with tips pointing back.
- Tie in 3 strands of peacock herl by their tips.
- Wrap peacock herl forward to just before eye of hook and secure with thread.
- Pull pheasant or turkey forward over the peacock herl and secure with thread and trim.
- Tie in 1 olive goose biot out each side as legs. Legs should extend the length of the body.
- Trim, whip finish, and head cement.





PO Box 651
Harrison Hot Springs, BC
V0M 1K0

Fax: 604-796-3341
Reservations: 604-671-3474
<https://guidebc.com/>

Water Boatman



Hook: 14-10 Nymph
Thread: 6/0 Black
Body: Yellow or tan yarn
Legs: Black superfloss
Shellback: Pheasant tail
Water Bubble: Thick silver wire

Tying Instructions:

- Tie in a strand of superfloss out either side of the middle of the hook shank.
- Tie in pheasant tail with tips extending back.
- Dub yarn on to thread and wrap forward, around the legs and up to the eye of the hook.
- Tie in thick silver wire, and wrap back over the dubbing about 5 mm or 2 hook eyes. Wrap back and forth until all the dubbing in this area is covered in silver wire. Tie off wire at eye of hook.
- Pull pheasant tail over body and secure with thread at eye of hook.
- Trim, whip finish, and head cement.

